







System Reference Chart

			
Product/Procedure	DrillSaw Mini 300™ Power System	DrillSaw Sports 400™ Power System	DrillSaw Max 600™ Power System
Shoulder Procedures	Acromioclavicular Reconstruction		X
	Clavicle Fracture Repair		X
	Distal Biceps Repair	X	X
	Knot-Tying Labral, Instability, ALPSA, and HAGL Lesion Repair	X	X
	Knotless Labral, Instability, ALPSA, and HAGL Lesion Repair	X	X
	Latarjet/Coracoid Process, Transfer for Glenoid Deficiency	X	X
	Total Shoulder Arthroplasty		X
	Pectoralis Major Repair	X	X
	Tenodesis Procedure	X	X
	Proximal Humeral Fracture Repair		X
	PASTA	X	X
Knee Procedures	ACL Reconstruction	X	X
	Patellofemoral Resurfacing		X
	Unicompartmental Knee Resurfacing		X
	Cartilage Transplant - Allograft		X
	Collateral Ligament Reconstruction		X
	PCL Reconstruction		X
	Meniscal Transplant		X
	High Tibial Osteotomy		X
	Femoral Osteotomy		X
	AMZ / Patellar Realignment		X
	Meniscal Root Repair		X
	Total Knee Arthroplasty		X
Hip Procedures	Gluteus Medius Repair	X	X
	Labral Reconstruction	X	X
	Labral Repair	X	X
	Proximal Hamstring Repair	X	X
	Femoral Head Core Decompression		X
	Total Hip Arthroplasty		X
Elbow	Distal Biceps Repair	X	X
	UCL Reconstruction Procedure	X	X

System Reference Chart (Cont.)



Product/Procedure	 DrillSaw Mini 300™ Power System	 DrillSaw Sports 400™ Power System	 DrillSaw Max 600™ Power System
Bio-Tenodesis™ Screw Fixation			
LRTI in CMC Arthroplasty	X	X	
Thumb UCL Reconstruction	X	X	
Mini TightRope® 2.7 mm Technique for CMC Fixation	X	X	X
Mini TightRope 1.1 mm Technique for CMC Fixation	X	X	X
3 mm or 3.5 mm Bio-Compression Screw	X	X	
TRIM-IT Drill Pin® Fixation	X	X	
2.5 mm PushLock® Knotless Suture Anchor			
Thumb UCL Repair	X	X	
SL Ligament Repair	X	X	
Knotless TFCC Repair	X	X	
Scapholunate Axis Method (SLAM) for SLL Reassociation	X	X	
Distal Biceps Repair Using the Slide Button and 7 mm Tenodesis Screw		X	X
Transulnar Approach to Repair the TFCC Using FiberWire®/FiberTape® Sutures	X	X	X
2.5 mm PushLock Knotless Suture Anchor	X	X	X
Corkscrew® FT Anchor			
Micro 2.2 mm × 4 mm, Loaded With white 4-0 FiberWire® Suture	X	X	
Micro 2.2 mm × 4 mm, Loaded With 2-0 FiberWire® Suture	X	X	
Mini Corkscrew 2.7 × 7 mm, loaded with 2-0 FiberWire Suture			
3.5 mm × 12 mm, loaded with Double #0 FiberWire Suture	X	X	
Corkscrew® Suture Anchors			
Self-drilling 3.5 mm × 12 mm, loaded with Double #0 FiberWire Suture	X	X	
5.0 mm × 15 mm, loaded with Double #1 FiberWire Suture	X	X	
2.4 mm × 11.7 mm, loaded with #2 FiberWire Suture	X	X	
FASTak™ Suture Anchor	X	X	
Small Bone FASTak™ Suture Anchor 2.4 mm × 7.5 mm, loaded with 2-0 FiberWire Suture	X	X	
Bio-Corkscrew® FT Anchor, 5.5 mm × 15 mm, loaded with Double #1 FiberWire Suture	X	X	X
BioComposite FT Anchor, 4.5 mm loaded with Double #1 FiberWire Suture	X	X	X
BioComposite SutureTak® Percutaneous Insertion Kits			
Micro 2.4 mm × 6.5 mm, loaded with white 4-0 FiberWire Suture	X	X	
Micro 2.4 mm × 6.5 mm, loaded with 2-0 FiberWire Suture	X	X	
Mini 2.4 mm × 8.5 mm, loaded with 2-0 FiberWire Suture	X	X	
3 mm × 14 mm, loaded with #1 FiberWire Suture	X	X	X
3 mm × 14 mm, loaded with Double #0 FiberWire Suture	X	X	X

Hand and Wrist Procedures

System Reference Chart (Cont.)




			
Product/Procedure	DrillSaw Mini 300™ Power System	DrillSaw Sports 400™ Power System	DrillSaw Max 600™ Power System
Hand and Wrist Procedures (Cont.)			
BioComposite SutureTak® Percutaneous Insertion Kits			
Micro 2.4 mm × 6.5 mm, Loaded With White 4-0 FiberWire Suture	X	X	
Micro 2.4 mm × 6.5 mm, loaded with 2-0 FiberWire Suture	X	X	
Mini 2.4 mm × 8.5 mm, loaded with 2-0 FiberWire Suture	X	X	
3 mm × 14 mm, loaded with #1 FiberWire Suture	X	X	X
3 mm × 14 mm, loaded with Double #0 FiberWire Suture	X	X	X
Bio-SutureTak® Percutaneous Insertion Kits			
Micro 2.4 mm × 6.5 mm, loaded with 2-0 FiberWire	X	X	
Mini 2.4 mm × 8.5 mm, loaded with 2-0 FiberWire	X	X	
3 mm × 14 mm, loaded with Double #0 FiberWire	X	X	X
PushLock® Anchor			
Mini Bio-PushLock Anchor, 2.5 mm × 8 mm	X	X	
Mini PEEK PushLock, 2.5 mm × 8 mm	X	X	
Bio-PushLock, 3.5 mm × 14 mm	X	X	X
BioComposite PushLock, 2.9 mm × 14 mm	X	X	X
BioComposite PushLock, 3.5 mm × 14 mm	X	X	X
PEEK PushLock, 3.5 mm × 14 mm	X	X	X
4.5/6.7 mm Low Profile Screw System			
Subtalar Arthrodesis		X	X
Ankle Fusion		X	X
Medializing Calcaneal Osteotomy		X	X
Triple Arthrodesis		X	X
Midfoot Fusions		X	X
5.5 mm Jones Screw		X	X
Ankle Fracture System for Internal Fixation Using:			
Locking Third Tubular Plate		X	X
Locking Fibular Hook Plate		X	X
Locking Distal Fibular Plate		X	X
Locking Straight (recon) Plate		X	X
Locking Third Tubular Plate		X	X
Locking Deltoid Avulsion/Medial Malleolus Plate		X	X
Review of/Use of Ankle GPS Guidance System		X	X
Osteochondral Autograft Transfer System for Talar Dome OCD Lesion		X	X
AnaToemic® Phalangeal Prosthesis for Hemiarthroplasty of the First MTP Joint	X	X	
3.0 mm or 3.5 mm Bio-Compression Screw System	X	X	
Foot and Ankle Procedures			

System Reference Chart (Cont.)

Product/Procedure	 DrillSaw Mini 300™ Power System	 DrillSaw Sports 400™ Power System	 DrillSaw Max 600™ Power System
Bio-Tenodesis™ Screw Fixation			
Tendon Enhanced Lateral Ankle Ligament Reconstruction		X	X
FDL Tendon Transfer for Correction of Flatfoot Deformity		X	X
FHL Tendon Transfer to Reinforcement of Achilles Tendon		X	X
3 mm × 8 mm Flexor to Extensor Tendon Transfer for Lesser Toes	X	X	
Compression Staple for Midfoot Fusion	X	X	
Low Profile MTP Plate	X	X	X
Low Profile Plate and Screw System for:			
Opening Wedge Osteotomy Locking Plate/Nonlocking Plate	X	X	
Cotton Osteotomy	X	X	
TMT Fusion Using the Lapidus Plate	X	X	
Lateral Column Lengthening Using the H-Plate	X	X	
Midfoot Fusion Using H-Plate	X	X	X
Lapidus Fusion Using Regular or Long Lapidus Plate	X	X	
Lisfranc Fracture Using the Spanning Lisfranc Plate	X	X	X
Mini TightRope® Implant 1.1 mm	X	X	X
Mini TightRope Implant 1.1 mm (×2) With Buttress Plate	X	X	X
Mini TightRope Implant 2.7 mm for:			
Distal Hallux Valgus Correction	X	X	X
Hallux Varus Correction	X	X	X
Lisfranc Repair	X	X	X
Taylor's Bunion Correction	X	X	X
Mini TightRope FT (3.5 mm Corkscrew® FT or 4.5 mm Bio-Corkscrew® FT Anchor)	X	X	X
Plaple® Fixation System for Fixation of Akin Osteotomy	X	X	
QuickFix™ Screw System			
3 mm QuickFix Screw	X	X	
2 mm QuickFix Screw	X	X	
2.3 mm Cannulated Lag Screw	X	X	
3 mm Cannulated Screw	X	X	
2.3 mm Full Thread Screw	X	X	
3 QuickFix Cannulated Screw System			
2.0 mm PT Screw	X	X	
2.4 mm PT Screw	X	X	
3.0 mm PT Screw	X	X	
4.0 mm PT Screw	X	X	

Foot and Ankle Procedures (Cont.)

System Reference Chart (Cont.)

Product/Procedure	 DrillSaw Mini 300™ Power System	 DrillSaw Sports 400™ Power System	 DrillSaw Max 600™ Power System
3 QuickFix™ Cannulated Screw System			
2.0 mm PT Screw	X	X	
2.4 mm PT Screw	X	X	
3.0 mm PT Screw	X	X	
4.0 mm PT Screw	X	X	
Knotless Ankle TightRope® Construct - Ankle Syndesmosis Fixation		X	X
Ankle TightRope Construct for Ankle Syndesmosis Fixation		X	X
Ankle TightRope Fixation - TightRope Syndesmosis Buttress Plate		X	X
TRIM-IT Drill Pin® System (2 mm or 1.5 mm) for PIP Joint Arthrodesis	X	X	
TRIM-IT Screw System			
Ankle Syndesmosis Fixation	X	X	
Lisfranc Fixation	X	X	
Proximal Closing Wedge Osteotomy	X	X	
Medializing Calcaneal Osteotomy	X	X	
TRIM-IT Spin Pin™ Fixation PIP Joint Arthrodesis	X	X	
Achilles SutureBridge™ Repair 4.5 mm × 15 mm Bio-Corkscrew® FT Anchor and 3.5 mm Bio-PushLock™ Anchor		X	X
Achilles SpeedBridge™ Repair 4.75 mm × 15 mm BioComposite SwiveLock® Anchor and FiberTape® Suture		X	X
PEEK Achilles SutureBridge™ Suture 4.5 mm × 15 mm PEEK Corkscrew® FT Suture Anchor and 3.5 mm PEEK PushLock Anchor		X	X
PEEK Achilles SpeedBridge™ Suture 4.75 mm × 19.1 mm PEEK SwiveLock® C Anchor and FiberTape® Suture		X	X
Modified Brostrom-Gould Technique Using:			
2.4 mm Mini Bio-SutureTak® Anchor	X	X	
2.5 mm Bio-PushLock™ Anchor	X	X	
CPR Plantar Plate Repair, Dorsal Approach Using Mini Scorpion™ DX Suture Passer and #0 FiberWire® Suture	X	X	
Arthroscopic Brostrom, BioComposite SutureTak® Anchor 3.0 mm × 14 mm and #0 FiberWire® Suture	X	X	X
Lateral Ankle Ligament Reconstruction Using BioComposite Tenodesis Screws		X	X
Internal/Brace™ Ligament Augmentation Repair			
Reinforcement of the ATFL	X	X	X
Reinforcement of the Spring Ligament	X	X	X
Reinforcement of the Deltoid Ligament	X	X	X

Foot and Ankle Procedures (Cont.)

The DrillSaw Sport System (AR-400) is designed for trauma surgery and sports medicine and not for prosthetics applications.